ФИЗИКА ЭЛЕМЕНТАРНЫХ ЧАСТИЦ И АТОМНОГО ЯДРА. ТЕОРИЯ

INTEGRABLE STRING MODELS WITH CONSTANT SU(3) TORSION

V. D. Gershun¹

Akhiezer Institute for Theoretical Physics, NSC «Kharkov Institute of Physics and Technology», Kharkov, Ukraine

We used the local invariant chiral currents to obtain new integrable string equations for string WZW model type with SU(3) constant torsion. We solved the Burgers equation of motion for the first invariant current in terms of the Lambert function. We show that string model with SU(n), n > 3 constant torsion is not integrable, because procedure of decomposition of nonprimitive invariant chiral currents to primitive currents is the procedure of introduction of infinite-dimensional matrix of the second-kind constraints in the bi-Hamiltonian approch to integrable systems.

PACS: 11.25.Yb; 11.25.-W

INTRODUCTION

Integrable boson string models in the background fields were considered in the σ -model approach or by the method of effective background fields (Tseytlin, Arutyunov, Frolov [1–3]). In the first approach, the equation of motion for string coordinates is solved for the given background fields. In the second approach, background fields are solutions of the boson part of supergravity equations. In this paper, the third approach based on the method of chiral invariant currents is presented [4–10]. We will consider string model in the curve space of transverse coordinates with constant torsion, defined by metric and additional background gravity field with constant torsion and the background antisymmetric field). At first, we consider flat string in the conformal and in the light-cone gauges, and after this we consider curve string in the curve space of transverse coordinates. In this case we avoid difficulty connected with additional constraints on the background fields. A string model is described by the Lagrangian

$$L = \frac{1}{2} \int_{0}^{2\pi} \left[\delta^{\alpha\beta} g_{ab}(X) \frac{\partial X^a}{\partial x^{\alpha}} \frac{\partial X^b}{\partial x^{\beta}} + \epsilon^{\alpha\beta} B_{ab} \frac{\partial X^a}{\partial x^{\alpha}} \frac{\partial X^b}{\partial x^{\beta}} \right] dx.$$

¹E-mail: gershun@kipt.kharkov.ua

The target space local coordinates $X^a(x)$, a = 1, ..., 24 belong to certain given smooth 24-dimensional manifold M^{24} with nondegenerate metric tensor and $x^{\alpha} = \{t, x\}$

$$g_{ab}(X(x)) = g_{ba}(X(x)), \qquad B_{ab}(X(x)) = -B_{ba}(X(x)).$$

The string equations of motion have the form:

$$g_{ab}(\ddot{X}^{b} - X_{b}'') + \Gamma_{abc}(\dot{X}^{b}\dot{X}^{c} - X'^{b}X''^{c}) + H_{abc}\dot{X}^{b}X'^{c} = 0,$$

$$\Gamma_{abc} = \frac{1}{2} \left(\frac{\partial g_{ab}}{\partial X^{c}} + \frac{\partial g_{ac}}{\partial X^{b}} - \frac{\partial g_{bc}}{\partial X^{a}} \right),$$

$$H_{abc} = \frac{\partial B_{ab}}{\partial X^{c}} + \frac{\partial B_{ca}}{\partial X^{b}} + \frac{\partial B_{bc}}{\partial X^{a}},$$

where H_{abc} is the total antisymmetric tensor. Let us introduce the repers e^a_μ such that

$$g_{ab}(X(x)) = \delta_{\mu\nu} e^{\mu}_{a}(X(x))) e^{\nu}_{b}(X(x)),$$

where $\mu, \nu = 1, ..., n$ are indexes of tangent space to manifold M^n on some point $X^a(x)$. The repers $e^{\mu}_a(X)$ and their inverse $e^a_{\mu}(X)$ satisfy the conditions:

$$e^{\mu}_{a}e^{b}_{\mu}=\delta^{b}_{a}, \qquad e^{\mu}_{a}e^{a\nu}=\delta^{\mu\nu}.$$

The Hamiltonian has the form:

$$H = \frac{1}{2} \int_{0}^{2\pi} [\delta^{\mu\nu} J_{0\mu} J_{0\nu} + \delta_{\mu\nu} J_{1}^{\mu} J_{1}^{\nu}] dx,$$

where canonical currents have the form

$$\begin{aligned} J_{0\mu}(X) &= e^a_{mu}(X)(p_a - B_{ab}(X)X'^b), \\ J_1^{\mu}(X) &= e^{\mu}_a X'^a, \\ p_a(t,x) &= g_{ab}\dot{X}^b + B_{ab}X'^b, \end{aligned}$$

here $p_a(x)$ is canonical momentum, and the canonical Poisson bracket (PB) is:

$$\{X^a(x), p_b(y)\} = \delta^a_b \delta(x - y).$$

They satisfy the equation of motion

$$\partial_0 J_1^{\mu} - \partial_1 J_0^{\mu} = C_{\nu\lambda}^{\mu} J_0^{\nu} J_1^{\lambda},$$

$$\partial_0 J_0^{mu} - \partial_1 J_1^{\mu} = -H^{\mu\nu\lambda} J_0^{\nu} J_1^{\lambda}.$$

Last term in the equation of motion describes the anomaly.

The canonical currents satisfy following relations:

$$\{J_{0\mu}(x), J_{0\nu}(y)\} = C^{\lambda}_{\mu\nu} J_{1\lambda}(x)\delta(x-y) + H_{\mu\nu\lambda}J_1^{\lambda}\delta(x-y),$$

$$\{J_0^{\mu}(x), J_0^{\nu}(y)\} = C^{\mu\nu}_{\lambda}J_1^{\lambda}(x)\delta(x-y) + \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),$$

$$\{J_0^{\mu}(x), J_1^{\nu}(y)\} = C^{\mu\nu}_{\lambda}(x)J_1^{\lambda}(x)\delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y).$$

Here $C^{\mu}_{\nu\lambda}$ is the torsion.

$$C^{\mu}_{\nu\lambda} = \frac{\partial e^{\mu}_{a}}{\partial x^{b}} (e^{b}_{\nu} e^{a}_{\lambda} - e^{a}_{\nu} e^{b}_{\lambda}) = \left(\frac{\partial e^{\mu}_{a}}{\partial x^{b}} - \frac{\partial e^{\mu}_{b}}{\partial x^{a}}\right) e^{b}_{\nu} e^{a}_{\lambda}.$$

The chiral currents satisfy the equation of motion:

$$\begin{split} \partial_0 J_1^\mu &- \partial_1 J_0^\mu = C_{\nu\lambda}^\mu J_0^\nu J_1^\lambda, \\ \partial_0 J_0^\mu &- \partial_1 J_1^\mu = -H^{\mu\nu\lambda} J_0^\nu J_1^\lambda. \end{split}$$

Last term in the equation of motion describes the anomaly. Let us introduce chiral currents:

$$U^{\mu} = \delta^{\mu\nu} J_{0\nu} + J_{1}^{\mu}, \qquad V^{\mu} = \delta^{\mu\nu} J_{0\nu} - J_{1}^{\mu}.$$

Equations of motion in the light-cone coordinates

$$x^{\pm} = \frac{1}{2}(t \pm x), \qquad \frac{\partial}{\partial x^{\pm}} = \frac{\partial}{\partial t} \pm \frac{\partial}{\partial x}$$

have the form:

$$\partial_{-}U^{\mu} = -(C^{\mu}_{\nu\lambda}(X) + H^{\mu}_{\nu\lambda}(X))U^{\nu}V^{\lambda},$$

$$\partial_{-}V^{\mu} = (C^{\mu}_{\nu\lambda}(X) - H^{\mu}_{\nu\lambda}(X))U^{\nu}V^{\lambda}.$$

The chiral currents satisfy the following relations:

$$\begin{split} \{U^{\mu}(x), U^{\nu}(y)\} &= \frac{1}{2} [(3C^{\mu\nu}_{\lambda} + H^{\mu\nu}_{\lambda})U^{\lambda} - (C^{\mu\nu}_{\lambda} + H^{\mu\nu}_{\lambda})V^{\lambda}]\delta(x-y) + \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),\\ \{V^{\mu}(x), V^{\nu}(y)\} &= \frac{1}{2} [(3C^{\mu\nu}_{\lambda} - H^{\mu\nu}_{\lambda})V^{\lambda} - (C^{\mu\nu}_{\lambda} - H^{\mu\nu}_{\lambda})U^{\lambda}]\delta(x-y) - \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),\\ \{U^{a}(x), V^{b}(y)\} &= \frac{1}{2} [(C^{\mu\nu}_{\lambda} + H^{\mu\nu}_{\lambda})U^{\lambda} + (C^{\mu\nu}_{\lambda} - H^{\mu\nu}_{\lambda})V^{\lambda}]\delta(x-y). \end{split}$$

Here $H_{\mu\nu\lambda}$ is additional external torsion.

This relation forms the algebra if both internal and external torsions are constant. Here are two possibilities

$$\begin{split} H_{\lambda}^{\mu\nu} &= -C_{\lambda}^{\mu\nu}:\\ \{U^{\mu}(x), U^{\nu}(y)\} = C_{\lambda}^{\mu\nu}U^{\lambda}\delta(x-y) + \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),\\ \{V^{\mu}(x), V^{\nu}(y)\} = C_{\lambda}^{\mu\nu}(2V^{\lambda} - U^{\lambda})\delta(x-y) - \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),\\ \{U^{\mu}(x), V^{\nu}(y)\} = C_{\lambda}^{\mu\nu}V^{\lambda}\delta(x-y).\\ H_{\lambda}^{\mu\nu} &= C_{\lambda}^{\mu\nu}:\\ \{U^{\mu}(x), U^{\nu}(y)\} = C_{\lambda}^{\mu\nu}(2U^{\lambda} - V^{\lambda})\delta(x-y) + \delta^{ab}\frac{\partial}{\partial x}\delta(x-y),\\ \{V^{\mu}(x), V^{\nu}(y)\} = C_{\lambda}^{\mu\nu}V^{\lambda} - \delta^{\mu\nu}\frac{\partial}{\partial x}\delta(x-y),\\ \{U^{\mu}(x), V^{\nu}(y)\} = C_{\lambda}^{\mu\nu}U^{\lambda}\delta(x-y). \end{split}$$

The chiral currents U^{μ} in the first case and V^{μ} in the second case form the Kac–Moody algebras. Equations of motion in light-cone coordinates have the form

$$\begin{split} H^{\mu}_{\nu\lambda} &= -C^{\mu}_{\nu\lambda}, \qquad \qquad \partial_{-}U^{\mu} = 0, \qquad \qquad \partial_{+}V^{\mu} = 2C^{\mu\nu\lambda}U^{\nu}V^{\lambda}, \\ H^{\mu}_{\nu\lambda} &= C^{\mu}_{\nu\lambda}, \qquad \qquad \partial_{+}V^{\mu} = 0, \qquad \qquad \partial_{-}U^{\mu} = -2C^{\mu\nu\lambda}U^{\nu}V^{\lambda}. \end{split}$$

1. INTEGRABLE STRING MODELS WITH CONSTANT TORSION

Let us come back to commutation relations of chiral currents. We use Latin letters in this section instead of Greek for simplicity. Let torsions $C_{bc}^a(X(x)) \neq 0$ and $C_{abc} = f_{abc}$ are structure constants of simple Lie algebra. We will consider string model with constant torsion in light-cone gauge in the target space. This model coincides to principal chiral model on a compact simple Lie group. Evans, Hassan, MacKay, and Mountain [11] constructed local invariant chiral currents as polynomials of initial chiral currents of SU(n), SO(n), SP(n) principal chiral models. Their article was based on the work of de Azcarraga, Macfarlane, MacKay, Perez Bueno [12] about invariant tensors for simple Lie algebras. We have considered total symmetrical invariant chiral currents of SU(n) group. We shown that the infinite set of nonprimitive invariant charges are not commuting and they cannot be considered as Hamiltonians in a bi-Hamiltonian approach to integrable systems. Only consistent system has SU(3) torsion.

Let t_a are $3 \otimes 3$ traceless Hermitian matrix representations of the generators SU(3) Lie algebra:

$$[t_a, t_b] = 2if_{abc}t_c, \qquad \text{Tr}\left(t_a t_b\right) = 2\delta_{ab}.$$

Here is additional relation for su(3) algebra:

$$\{t_a, t_b\} = \frac{4}{3}\delta_{ab} + 2d_{abc}t_c, \ a = 1, \dots, 8.$$

Invariant tensors may be constructed as invariant symmetric polynomials on su(3):

$$d_m = d_{(a_1...a)} = \frac{1}{m!} S \operatorname{Tr} (t_{a_1} \cdots t_{a_m}),$$

where S Tr means completely symmetry-product of matrices, and $d_{(a_1...a_m)}$ is totally symmetric tensor and $m = 2, 3, ..., \infty$. Another family of invariant symmetric tensors, named «d-family» [14], is based on the product of the symmetric structure constant d_{abc} of su(3) algebra:

$$d_{(a_1\dots a_m)} = d_{(a_1a_2}^{b_1} d_{a_3}^{b_1b_2} \cdots d_{a_{m-2}}^{b_{m-2}b_{m-3}} d_{a_{m-1}a_m}^{b_{m-3}},$$

here $m = 4, 5, ..., \infty$.

Here are two primitive invariant tensors on SU(3). The invariant tensors for $m \ge 3$ are functions of primitive tensors. Evans et al. introduced local chiral currents based on the invariant symmetric polynomials on simple Lie groups:

$$J_m(U) = d_{a_1 \cdots a_m} U^{a_1} \cdots U^{a_m},$$

where $U = t_a U^a$ and a = 1, ..., 8. It is possible to compose the invariant symmetric polynomials $J_m(U)$ to basis invariant currents $C_m(U)$:

$$C_{2}(U) = \eta_{ab}U^{a}U^{b}, \qquad C_{3}(U) = d_{abc}U^{a}U^{b}U^{c},$$
$$C_{m}(U) = d_{a_{1}a_{2}}^{b_{1}}d_{a_{3}}^{b_{1}b_{2}}\cdots d_{a_{m-1}a_{m}}^{b_{m-3}}U_{a_{1}}U_{a_{2}}\cdots U_{a_{m}},$$

where $m = 4, 5, ..., \infty$. The author obtained the following expression for local invariant chiral currents $J_m(U)$:

$$J_{2} = 2C_{2}, \ J_{3} = 2C_{3}, \quad J_{4} = 2C_{4} + \frac{4}{n}C_{2}^{2}, \quad J_{5} = 2C_{5} + \frac{8}{n}C_{2}C_{3},$$
$$J_{6} = 2C_{6} + \frac{4}{n}C_{3}^{2} + \frac{8}{n}C_{2}C_{4} + \frac{8}{n^{2}}C_{2}^{3},$$
$$J_{7} = 2C_{7} + \frac{8}{n}C_{3}C_{4} + \frac{8}{n}C_{2}C_{5} + \frac{24}{n^{2}}C_{2}^{2}C_{3},$$
$$J_{8} = 2C_{8} + \frac{4}{n}C_{4}^{2} + \frac{8}{n}C_{3}C_{5} + \frac{8}{n}C_{2}C_{6} + \frac{24}{n^{2}}C_{2}C_{3}^{2} + \frac{24}{n^{2}}C_{2}^{2}C_{4} + \frac{16}{n^{3}}C_{2}^{4}$$

The commutation relations of invariant chiral currents $J_m(U(x))$ show that these currents are not densities of dynamical Casings operators. We considered the basis family of invariant chiral currents $C_m(U)$, and we proved that invariant chiral currents $C_m(U)$ form closed algebra under canonical PB, and corresponding charges are dynamical Casimir operators. The commutation relations of invariant chiral currents $C_m(U(x))$ and $C_n(U(y))$ for m, n = 2, 3, 4and for $m = 2, n = 2, 3, ..., \infty$ are the following:

$$\{C_m(x), C_n(y)\} = -mnC_{m+n-2}(x)\frac{\partial}{\partial x}\delta(x-y) - \frac{mn(n-1)}{m+n-2}\frac{\partial C_{m+n-2}(x)}{\partial x}\delta(x-y).$$

The commutation relations for $m \ge 5$, $n \ge 3$ are the following (we show one formula for C_8 on the right side as an example only):

$$\begin{aligned} \{C_5(x), C_3(y)\} &= -[12C_6(x) + 3C_{6,1}(x)] \frac{\partial}{\partial x} \delta(x - y) - \\ &- \frac{1}{3} \frac{\partial}{\partial x} [12C_6(x) + 3C_{6,1}(x)] \delta(x - y), \\ \{C_5(x), C_4(y)\} &= -[16C_7(x) + 4C_{7,1}(x)] \frac{\partial}{\partial x} \delta(x - y) - \\ &- \frac{3}{7} \frac{\partial}{\partial x} [16C_7(x) + 4C_{7,1}(x)] \delta(x - y), \\ \{C_6(x), C_3(y)\} &= -[12C_7(x) + 6C_{7,1}(x)] \frac{\partial}{\partial x} \delta(x - y) - \\ &- \frac{2}{7} \frac{\partial}{\partial x} [12C_7(x) + 6C_{7,1}(x)] \delta(x - y), \\ \{C_5(x), C_5(y)\} &= -[16C_8(x) + 8C_{8,1}(x) + C_{8,2}(x)] \frac{\partial}{\partial x} \delta(x - y) - \\ &- \frac{1}{2} \frac{\partial}{\partial x} [16C_8(x) + 8C_{8,1}(x) + C_{8,2}(x)] \delta(x - y), \end{aligned}$$

Integrable String Models with Constant SU(3) Torsion 489

$$\begin{aligned} \{C_6(x), C_4(y)\} &= -[16C_8(x) + 8C_{8,3}(x)]\frac{\partial}{\partial x}\delta(x - y) - \\ &- \frac{3}{8}\frac{\partial}{\partial x}[16C_8(x) + 8C_{8,3}(x)]\delta(x - y), \\ \{C_7(x), C_3(y)\} &= -[12C_8(x) + 6C_{8,1}(x) + 3C_{8,3}]\frac{\partial}{\partial x}\delta(x - y) - \\ &- \frac{1}{4}\frac{\partial}{\partial x}[12C_8(x) + 6C_{8,1}(x) + 3C_{8,3}(x)]\delta(x - y). \end{aligned}$$

The new dependent invariant chiral currents $C_{6,1}$, $C_{7,1}$, $C_{8,1} - C_{8,3}$, $C_{9,1} - C_{9,4}$, $C_{10,1} - C_{10,7}$ have the form (we show formulas for C_8 on the right side as an example only):

$$\begin{split} C_{8,1} &= [d^k_{\mu\nu} d^{kl}_{\lambda} d^{ln}_{\rho}] [d^m_{\sigma\varphi}] [d^p_{\tau\theta}] d^{nmp} (U^8) \mu\nu\lambda\rho\sigma\varphi\tau\theta, \\ C_{8,2} &= [d^k_{\mu\nu}] [d^l_{\lambda\rho}] [d^n_{\sigma\varphi}] [d^m_{\tau\theta}] d^{klp} d^{nmp} (U^8) \mu\nu\lambda\rho\sigma\varphi\tau\theta, \\ C_{8,3} &= [d^k_{\mu\nu} d^{kl}_{\lambda}] [d^n_{\rho\sigma} d^{nm}_{\varphi}] [d^p_{\tau\theta}] d^{lmp} (U^8) \mu\nu\lambda\rho\sigma\varphi\tau\theta. \end{split}$$

In the Figure we show the graphic image of invariant chiral currents $C_m(U)$ and the difference between C_8 and $C_{81} - C_{83}$.



Let us note that these PBs are PBs of hydrodynamic type. The ultralocal term with antisymmetric structure constant f_{abc} in commutation relation of chiral currents U^a does not contribute to commutation relations of invariant chiral currents because of totally symmetric invariant tensors $d_{(a_1...a_m)}$. Therefore chiral currents $C_m(U(x))$ form closed algebra under canonical PB.

The new dependent invariant chiral currents and the new dependent totally symmetric invariant tensors for SU(3) group can be obtained under different order of calculation of trace of the product of the generators of su(n) algebra. Let us mark the matrix product of two generators t_a , t_b in round brackets:

$$(t_a t_b) = \frac{2}{3} \delta_{ab} + (d^c_{ab} + i f^c_{ab}) t_c.$$

The expression of invariant chiral currents $J_m(U)$ depends on the order of the matrix product of two generators in general list of generators. For example:

$$J_{8} = \operatorname{Tr}\left[t(\underline{tt})tt(\underline{tt})t\right] = 2C_{8} + \frac{4}{n}C_{4}^{2} + \frac{8}{n}C_{3}C_{5} + \frac{8}{n}C_{2}C_{6} + \frac{24}{n^{2}}C_{2}C_{3}^{2} + \frac{24}{n^{2}}C_{2}^{2}C_{4} + \frac{16}{n^{3}}C_{2}^{4},$$

$$J_{8} = \operatorname{Tr}\left[(\underline{tt})(\underline{tt})t(\underline{tt})t\right] = 2C_{8,1} + \frac{4}{n}C_{4}^{2} + \frac{4}{n}C_{3}C_{5} + \frac{24}{n^{2}}C_{2}C_{3}^{2} + \frac{12}{n}C_{2}C_{6} + \frac{24}{n^{2}}C_{2}^{2}C_{4} + \frac{16}{n^{3}}C_{2}^{4},$$

$$J_{8} = \operatorname{Tr}\left[(\underline{tt})(\underline{tt})(\underline{tt})(\underline{tt})\right] = 2C_{8,2} + \frac{4}{n}C_{4}^{2} + \frac{16}{n}C_{2}C_{6,1} + \frac{32}{n^{2}}C_{2}^{2}C_{4} + \frac{16}{n^{3}}C_{2}^{4},$$

$$J_{8} = \operatorname{Tr}\left[(\underline{tt})(\underline{tt})(\underline{tt})(\underline{tt})\right] = 2C_{8,2} + \frac{4}{n}C_{4}^{2} + \frac{16}{n}C_{2}C_{6,1} + \frac{32}{n^{2}}C_{2}^{2}C_{4} + \frac{16}{n^{3}}C_{2}^{4},$$

$$J_{8} = \operatorname{Tr}\left[t(\underline{tt})(\underline{tt})(\underline{tt})t\right] = 2C_{8,3} + \frac{12}{n}C_{2}C_{6} + \frac{8}{n}C_{3}C_{5} + \frac{24}{n^{2}}C_{2}^{2}C_{4} + \frac{24}{n^{2}}C_{2}C_{3}^{2} + \frac{16}{n}C_{2}^{4}$$

where $t = t_a U^a$. Because the result of calculation does not depend on the order of calculation, we can obtain relations between new invariant chiral currents and basis invariant currents $C_m(U)$:

$$C_{6,1} = C_6 + \frac{2}{n}C_3^2 - \frac{2}{n}C_2C_4,$$

$$C_{8,1} = C_8 + \frac{2}{n}C_3C_5 - \frac{2}{n}C_2C_6,$$

$$C_{8,2} = C_8 + \frac{4}{n}C_3C_5 - \frac{4}{n}C_2C_6 - \frac{4}{n^2}C_2C_3^2 + \frac{4}{n^2}C_2^2C_4,$$

$$C_{8,3} = C_8 + \frac{2}{n}C_4^2 - \frac{2}{n}C_2C_6.$$

The family of invariant chiral currents $C_m(U(x))$ satisfies conservation equations

$$\partial_{-}C_m(U(x)) = 0$$

2. NEW INTEGRABLE STRING EQUATIONS

Let us apply hydrodynamic approach to integrable string models with constant torsion. In this case we must consider the conserved primitive chiral currents $C_m(U(x))$, m = 2, 3 as local fields of the Riemann manifold. The nonprimitive local charges of invariant chiral currents with $m \ge 3$ form the hierarchy of new Hamiltonians in bi-Hamiltonian approach to integrable systems. The commutation relations of invariant chiral currents are local PBs of hydrodynamic type.

The invariant chiral currents C_m with $m \ge 3$ for the SU(3) group can be obtained from the following relation:

$$d_{kln}d_{kmp} + d_{klm}d_{knp} + d_{klp}d_{knm} = \frac{1}{3}(\delta_{ln}\delta_{mp} + \delta_{lm}\delta_{np} + \delta_{lp}\delta_{nm}).$$

The corresponding invariant chiral currents for SU(3) group have the form:

$$C_{2n} = \frac{1}{3^{n-1}} (\eta_{\mu\nu} U^{\mu} U^{\nu})^n = \frac{1}{3^{n-1}} (C_2)^n,$$

$$C_{2n+1} = \frac{1}{3^{n-1}} (\eta_{\mu\nu} U^{\mu} U^{\nu})^{n-1} d_{kln} U^k U^l U^n = \frac{1}{3^{N-1}} (C_2)^{N-1} C_3$$

The invariant chiral currents C_2, C_3 are local coordinates of the Riemann manifold M^2 . The local charges C_{2n} , $n \ge 2$ are the invariant subalgebra of algebra charges C_{2n}, C_{2n+1} and they form hierarchy of Hamiltonians. Let us introduce new notation

$$f(x) = C_2(U(x)), \ g(x) = C_3(U(x)),$$
$$H_n(t_n) = \frac{1}{2n(2n-1)} \int_0^{2\pi} f^n(x, t_n) dx, \ n = 2, \dots, \infty.$$

The new nonlinear equations of motion for chiral currents are the following:

$$\frac{\partial f}{\partial t_n} + f^{n-1} \frac{\partial f}{\partial x} = 0,$$

$$\frac{\partial g}{\partial t_n} + \frac{3}{2n-1}gf^{n-2}\frac{\partial f}{\partial x} + \frac{1}{2N-1}f^{n-1}\frac{\partial g}{\partial x} = 0.$$

The first equation for function $f(x, t_n)$ is generalized unviscid Burgers' equations [15]; in component

$$\frac{\partial f}{\partial t_2} + f \frac{\partial f}{\partial x} = 0, \qquad \frac{\partial f}{\partial t_3} + f^2 \frac{\partial f}{\partial x} = 0.$$

They have the following solutions:

$$f(x, t_n) = h_n[x - t_n f^{n-1}(x, t_n)]$$

and h(x) is the periodical arbitrary function of x.

For simplicity we introduce new variables

$$f^n = y_n, \qquad n = 2, \dots, \infty.$$

New equations of motion for functions $y(x)_n$ coincide, and they do not depend on n:

$$\frac{\partial y_n}{\partial t_n} + y_n \frac{\partial y_n}{\partial x} = 0$$

(no sum); in component

$$\frac{\partial y_2}{\partial t_2} + y_2 \frac{\partial y_2}{\partial x} = 0, \qquad \frac{\partial y_3}{\partial t} + y_3 \frac{\partial y_3}{\partial x} = 0, \dots$$

The first equations are n Burgers equations. General solutions are:

$$y_n = h_n [x - t_n y_n(x, t_n)].$$

Here there are a lot of solutions in terms of rational functions for h_n which led to algebraic equations for functions y_n . But these solutions do not satisfy periodical bound conditions. In general case, these equations are solved by numerical methods. However, here are weak solutions for small-times intervals. Let us introduce periodical initial conditions

$$y_n(x,0) = h_0(x,0), \ h_0(x) = h_0(x+2\pi)$$

 $y_n(x,t) = h_0[x - t_n h_0(x)] + O(t_n).$

For example, in the first approximation on t we obtained the following solutions:

$$\underline{h_0(x) = e^{ix}}, \quad y_n = e^{ix} - t_n e^{2ix}, \quad \underline{h_0(x) = \sin x}, \quad y_n = \sin x - \frac{1}{2}t_n \sin 2x.$$

Here is one exact solution of the Burgers equation with periodical bound conditions in terms of the Lambert function [16]. Let

$$y_n(t,x) = h_n[x - t_n y_n(x,t_n)],$$

where a is arbitrary parameter. The Burgers equation can be rewritten in the following form:

$$Y_n = Z_n e^{Z_n}, \qquad Y_n = it_n e^{a+ix}, \qquad Z_n = it_n y_n$$

The inverse transformation $Z_n = Z_n(Y_n)$ is defined by the W Lambert function $Z_n = W(Y_n)$:

$$y_n(x,t) = \frac{-i}{t_n} W(it_n e^{a+ix}).$$

Let us remember that $f^n(x,t_n) = y_n$, $f(x) = U^a U^a$, and U^a , a = 1, ..., 8 are initial chiral currents. The equation of motion for the second invariant currents g(x) has the form

$$\frac{\partial g}{\partial t_n} + \frac{3g}{2n-1}\frac{\partial y_{n-1}}{\partial x} + \frac{y_{n-1}}{2n-1}\frac{\partial g}{\partial x} = 0,$$
$$\frac{\partial g}{\partial t_2} + g\frac{\partial y_1}{\partial x} + \frac{y_1}{3}\frac{\partial g}{\partial x} = 0, \qquad \frac{\partial g}{\partial t_3} + \frac{3g}{5}\frac{\partial y_2}{\partial x} + \frac{y_2}{5}\frac{\partial g}{\partial x} = 0,$$

The construction of integrable equations with SU(n) symmetries for $n \ge 4$ has difficulties of reduction of nonprimitive invariant currents to primitive currents. Let us consider the generating function

$$A(x,\lambda) = \det \left(1 - \lambda U(x)\right) = \exp \operatorname{Tr} \ln \left(1 - \lambda U^a(x)t_a\right).$$

We obtained the following expressions for nonprimitive chiral currents C_n :

$$SU(4): C_5 \to \frac{2}{3}C_2C_3, C_6 \to \frac{1}{6}C_3^2 + \frac{1}{2}C_2C_4, \quad C_7 \to \frac{1}{3}C_2^2C_3 + \frac{1}{6}C_3C_4,$$

$$C_8 \to \frac{7}{36}C_2C_3^2 + \frac{1}{4}C_2^2C_4, \quad C_9 \to \frac{1}{6}C_2^3C_3 + \frac{1}{36}C_3^3 + \frac{1}{6}C_2C_3C_4.$$

$$SU(5): C_6 \to -\frac{3}{50}C_2^3 + \frac{4}{15}C_3^2 + \frac{7}{10}C_2C_4, \quad C_7 \to -\frac{3}{50}C_2^2C_3 + \frac{11}{30}C_3C_4 + \frac{3}{5}C_2C_5,$$

Integrable String Models with Constant SU(3) Torsion 493

$$C_8 \to -\frac{9}{250}C_2^4 \frac{4}{25}C_2C_3^2 + \frac{9}{25}C_2^2C_4 + \frac{1}{10}C_4^2 + \frac{4}{15}C_3C_5,$$

$$C_9 \to -\frac{13}{250}C_2^3C_3 + \frac{16}{225}C_3^3 + \frac{61}{150}C_2C_3C_4 + \frac{3}{10}C_2^2C_5 + \frac{1}{10}C_4C_5$$

However, the nonprimitive charges are not commuting. They are not Casimirs and we cannot consider them as Hamiltonians. Consequently, only string model with constant SU(3) torsions is integrable one. The reason of noncommutativity of nonprimitive currents is explained by procedure of decomposition of nonprimitive currents to functions of primitive currents. This procedure in the formalism of Poisson brackets is the procedure of introduction of infinite number of the second-kind constraints. It is very hard or it is impossible to obtain the infinite-dimension matrix of the second-kind constraints and its inverse to construct Dirac brackets, in terms of which nonprimitive charge must commute.

Acknowledgements. The author would like to thank Professor J.A. de Azcarraga for stimulating discussion about nonprimitive chiral invariant currents and about integrable string models.

This work was supported by grant of RFBR-NASU No. 02/50 - 2009.

REFERENCES

- Tseytlin A.A. Exact Solutions of Closed String Theory // Class. Quant. Grav. 1995. V. 12. P. 2365– 2410.
- Arutyunov G. et al. Spinning String in AdS(5)⊗S⁵ and Integrable Systems // Nucl. Phys. B. 2003. V. 671. P. 3–50.
- 3. Alday L. F., Arutyunov G., Tseytlin A. A. On Integrability of Classical Superstrings in $AdS(5) \otimes S^5$ // JHEP. 2005. V. 0507. P. 002.
- Gershun V. D. Integrable String Models of Hydrodynamical Type // J. of Kharkov Univ. Ser. Phys. Nucl. Part. Fields. 2005. V. 657. P. 109–113.
- Gershun V. D. Integrable String Models and Sigma-Models of Hydrodynamic Type in Terms of Invariant Chiral Currents // Problems of Atomic Science and Techn. 2007. V. 3(1). P. 16–21.
- Gershun V. D. Integrable String Models in Terms of Chiral Invariants of SU(n), SO(n), SP(n) Groups // Symmetry, Integrability and Geometry: Methods and Applications (SIGMA). 2008. V.4. P. 16.
- Gershun V. D. Integrable String Models of Hydrodynamical Type in Terms of Chiral Currents // Proc. of Intern. Workshop «Supersymmetries and Quantum Symmetries» (SQS'05). Dubna, 2005. P.219–230.
- 8. *Gershun V. D.* Integrable String Models of Principal Chiral Model Type // Proc. of Intern. Workshop «Supersymmetries and Quantum Symmetries» (SQS'07). Dubna, 2007. P. 237–241.
- Gershun V. D. Integrable String Models and Sigma-Models of Hydrodynamic Type in Terms of Chiral Currents // Proc. of the 5th Intern. Conf. Bolya–Gauss– Lobachevsky (BGL-5) «Non– Euclidean Geometry in Modern Physics», Minsk, Oct. 10–13, 2006. Minsk, 2007. P. 248–257.
- 10. Gershun V.D. Integrable String Models with Constant Torsion in Terms of Chiral Invariants of SU(n), SO(n), SP(n) Groups. hep-th/0902.0542. 2009. 12 p.
- Evans J. M. et al. Local Conserved Charges in Principal Chiral Models // Nucl. Phys. B. 1999. V. 561. P. 385–412; hep-th/9902008.

- 12. de Azcarraga J. A. et al. Invariant Tensors for Simple Groups // Nucl. Phys. B. 1998. V. 510. P. 657–687; physics/9706006. 1997.
- Gershun V.D. Integrable String Models with Constant Torsion in Terms of Chiral Invariants of SU(n), SO(n), SP(n) Groups // Yad. Fiz. 2010. V. 73, No. 2. P. 1–7.
- Klein A. Invariant Operators of the Unimodular Group in n Dimensions // J. Math. Phys. 1963. V.4. P. 1283–1284.
- 15. Burgers J. M. The Nonlinear Diffusion Equation. Dozdrecht: Reidel, 1974.
- 16. Lambert J. H. Observationes Variae in Mathesin Puram // Acta Helv. Physico-Mathematico-Botanico-Medica-Band III. 1758. P. 128–168.